

SUMP KL 915

Features & Benefits

- Excellent Cleaning Performance
- Mild Alkalinity
- Low Foaming
- Compatible with most coolants
- Operator friendly



PRODUCT DESCRIPTION:

SUMP KL 915 is an economical, mildly alkaline, liquid compound designed for removal of dirt, oily residues and biofilms in coolant reservoirs and sumps. It can be added to the existing coolant charge and circulated during normal production.

TYPICAL CHARACTERISTICS:

FORM: Liquid
 APPEARANCE: Blue
 ODOR: Mild
 FLASH POINT: N/A
 REFRACTOMETER FACTOR: 1.2
 pH (5%): 9.2 - 9.6
 SPECIFIC GRAVITY: 0.96

RECOMMENDED CONCENTRATION

| | |
|-----------------|--------|
| Light Soil | 3 – 4% |
| Moderate Soil | 5 – 6% |
| Heavy Duty Soil | 7 – 8% |

A circulating time of 2 hours is generally sufficient for most coolant systems, although longer contact times may require for more difficult cleanouts.

PACKAGING:

Pails

HEALTH & SAFETY

All reasonable care has been taken to ensure that the information contained in this publication is accurate as the date of printing, however, such information might change due to changes in the formulation blend occurring subsequent to the date of printing. The MSDS must be consulted for appropriate information regarding storage, safe handling and storage.

